POWERFILLER

POWERMAX 2

ELECTRIC CIGARETTE INJE

ELEKTRISCHE ZIGARETTENSTO

USER MANUAL / BENUTZERHAN

Yeah have funny wound machine - nietf'asn tastic tha
chosame machine of urnoange.
Pleafsoel ltohve operatiangeainds t tocetniscurrs
an optifmlallineg ufoatslongpaossible.

Any questorimemsarYkosuPrweelcotmecontaactt u
support@powerfller.com

The delivery package with the following items:

1. Power max-Electrical connector
2. Collecting tray
3. Cleaning Brush
4. Power Cord

Step 1:

Plug the machine into a power supply using the power supply-unit and switch on the machine by pressing the main switch.

Step 2:

Fully move the upper wheel towards the tobacco compartment and put a cigarette tube on the metal device.

Step 3:

Fill the tobacco compartment with tobacco.

Step 4:

Compress the tobacco in the chamber by using the wheel, machine is now ready to produce cigarettes.

Step 5:

Gently move the adjuster all the way down to start the process and start filling the cigarette tube with tobacco

Step 6:

Eject the completed cigarette tube and the collection tray to ensure the process is finished.

Step 7:

Use the brush to clean the tobacco compartment, the funnel and remove stubborn tobacco residue in the chamber. Using the hoover brush to remove any remaining tobacco

Enjoy your cigarettes and remember to take care of your machine.

Yeah-hv i Sp am 3 i d l e i n Mears c h - s n u e p e d r a , s d s u d i c h
f üer i n G e a r u ä s t n s e r e m S o r e t n i t m s e c n h t i h e a d s e t n .

Ummöglichst langes Steinp fiedregaeuebrsziise l e
beachte b Bteteidei dni ePufnedgehinweise

Fragoednе Arnmerkungen?dWehdgeannе
support@powerfller.com

Im Lieferumfang sind folgende Bestandt

1. Powerm2a-xe lektrische Zigarettenstop
2. Aufangschale
3. Reinigungs-Pinsel
4. Netzkabel

Schritt 1:

Maschine mit dem Netzanschlusskabel Stromzufuhr anschließen. Leuchtet das Licht, ist die Maschine bereit.

Schritt 2:

Bewegen Sie den Hebel von hinten nach oben, um das Tabakzuführfach in die Maschine zu stecken. Legen Sie die Zigarette auf die Metallvorrichtung

Schritt 3:

Befüllen Sie das Tabakzuführfach mit Tabak.

Schritt 4:

Verdichten Sie den Tabak mit dem Kammerstopfer. Nach dem Stopfen kann die Maschine die Zigarette entnommen werden. Sie ist nun bereit für ein gutes Stopfergebnis

Schritt 5:

Bewege den Hebel mehrmals leicht Dtreumck ganz nach unten, um den Stopfvorgang zu starten und die Zigarette mit Tabak zu füllen.

Schritt 6:

Ertönt ein fertiges Zeichen, ist die Zigarette zu Anfang und am Ende leer. Stopfvorgang beendet.

Schritt 7:

Reinige mit Pinsel den Tabak von außen und lösche Tabakrieselder Kammer. Entferne gründlich die restlichen Tabakrückstä

Genieße deine Zigarette und denke immer daran, Maschine und Feuer.

C o p y r i©g2h0t2 0